



## SKYLIGHT SLIM LED 2' x 2' PANEL LIGHT

The MCLED SKYLIGHT LED Panel Light fixture provides robust industrial design to replace existing 2x2 fluorescent troffer fixtures. Engineered to easily retrofit to most drop ceiling systems, the fixture include:

- **Integrated J Box**
- **Dimmable / Non-Dimmable**
- **Integrated Commercial Hanger Hooks**



MCLED's Panel Light is designed to deliver high lumen output and even light distribution. The luminaire mounts in a 2x2 drop ceiling opening and comes equipped with power cord connections and integrated J box electrical housing for quick installation

## SPECIFICATION FEATURES

### CONSTRUCTION

- Integrated JBox w/ Power Supply
- Slim Aluminum Exterior
- High Impact Acrylic Lens

### OPTICS

- Frosted

### MOUNTING

- Integrated Hooks
- JBox Housing w/ 100v-277v Power Supply

### FINISH

- White or Silver Commercial Finish

## CERTIFICATION DATA


- IES LM 79/ LM80 Tested
- UL/cUL 1598C Certified
- DLC DesignLights™ Consortium Listed



## PRODUCT DETAILS

PRODUCT CODE	WATTAGE	DIMMING	CCT	LUMENS	BODY FINISH (WHITE)	BEAM ANGLE	CRI	RATED LIFE (HRS)
MC2X2	36W	D	40K - 4000K 50K - 5000K	3,600	W - WHITE	120°	80	50,000

## PRODUCT SPECIFICATIONS



## ORDERING INFORMATION

**SAMPLE: MC2X2-36W-D-40K**

MC2X2	36W	D	40K
<b>Model</b> MC2X2	<b>Wattage</b> 36W	<b>Dimming</b> Dimming	<b>CCT</b> 40K - 4000K 50K - 5000K



## SKYLIGHT SLIM LED 2' x 4' PANEL LIGHT

The MCLED SKYLIGHT LED Panel Light fixture provides robust industrial design to replace existing 2x4 fluorescent troffer fixtures. Engineered to easily retrofit to most drop ceiling systems, the fixture includes:

- **Integrated J Box**
- **Dimmable / Non-Dimmable**
- **Integrated Commercial Hanger Hooks**



MCLED's Panel Light is designed to deliver high lumen output and even light distribution. The luminaire mounts in a 2x4 drop ceiling opening and comes equipped with power cord connections and integrated J box electrical housing for quick installation

## SPECIFICATION FEATURES

### CONSTRUCTION

- Integrated JBox w/ Power Supply
- Slim Aluminum Exterior
- High Impact Acrylic Lens

### OPTICS

- Frosted

### MOUNTING

- Integrated Hooks
- JBox Housing w/ 100v-277v Power Supply

### FINISH

- White or Silver Commercial Finish

## CERTIFICATION DATA


- IES LM 79/ LM80 Tested
- UL/cUL 1598C Certified
- DLC DesignLights™ Consortium Listed



## PRODUCT DETAILS

PRODUCT CODE	WATTAGE	DIMMING	CCT	BODY FINISH (WHITE)	BEAM ANGLE	INITIAL LUMENS	CRI	RATED LIFE (HRS)
MCSL24DUA	50W	D	40K - 4000K 50K - 5000K	W - WHITE	120°	6250	80	50,000

## PRODUCT SPECIFICATIONS



## ORDERING INFORMATION

### SAMPLE: MCSL24DUA-50WB-PFDA

MCSL24DUA	50WB	PFDA
<b>Model</b> MCSL24DUA	<b>Wattage</b> 50W	<b>CCT</b> PFNA - 4000K (Product ID: PBGNMPF2)  PFDA - 5000K (Product ID: PEYXF5PA)